


FIT SYSTEM

Modulaire akoestische kantooroplossingen overtrokken met textiel



HET FIT SYSTEEM

De wanden van het FIT-systeem zijn fijngebouwde en elegante modulaire elementen voorzien van een verborgen en zeer praktisch bevestigingssysteem. Het zijn simpele en combineerbare wanden, waarvan de stevige structuur in aluminium en hout volledig gestoffeerd zijn. Ze vormen de ideale collectie voor het opstellen van allerlei mogelijke situaties binnen een werkruimte (scheidingswanden, bureelwanden, vergaderruimtes, rustzones, phone booths,...) en het creëren van een harmonieuze omgeving met zeer hoge akoestische doeltreffendheid. De collectie integreert overigens de flexibele en comfortabele FIT sofa, ontworpen door designer Alain Berteau.



TECHNISCHE INFORMATIE

Verticale wanden met interne structuur samengesteld uit geëxtrudeerd aluminium en spaanderplaat. De zijkanen van de wanden zijn voorzien van stiften waardoor de verschillende modules makkelijk en stevig aan mekaar kunnen worden bevestigd. De basis van de wanden zijn voorzien met cilindrische M8 inzetstukken met in hoogte regelbare voetjes. De standaard versie van de FIT-systemen zijn vervaardigd uit celluloseschuim. Deze versie is Klasse A gecertificeerd volgens norm ISO 354.

Gebruik :	enkel indoor
Dikte :	62 mm
Verbinding:	2 precisie bewerkte stiftverbindingen maken de mechanische verbinding van de verschillende modules mogelijk.
Opstelling :	De elementen kunnen, in functie van de opstelling, verbonden worden op 180°, 90° in L-vorm, in T-vorm of in kruisvorm.
Waarborg :	2 jaar tegen alle productiefouten onder normaal kantoorgebruik.
Naleveringsgarantie:	5 jaar
Gewicht :	volgens afmeting – zie de lijst met gewicht per afmeting
Verpakking:	Meerlaags karton met randversteving en thermo krimpfolie.
Eco-bijdrage :	Hout en metalen familie.
Absorptie :	$\alpha_w = 1.00$

ABSORPTIECOËFFICIËNT

Klasse « A » volgens normen ISO 354 en ISO 11654

F(Hz)	100	125	250	500	1000	2000	2500	4000	5000
Absorptiecoëfficiënt (α_s)	0,14	0,20	0,68	0,98	1,07	1,13	1,10	1,15	1,18

OPSTELLING



FIT U WORKSTATION 90°



FIT S WORKSTATION 90°



FIT C WORKSTATION 90°



FIT DOUBLE U WORKSTATION



FIT PENTAGONE




FIT E WORKSTATION



FIT SOFA



FIT CELL



FIT BAR



FIT U WORKSTATION 100°



FIT S WORKSTATION 100°



FIT C WORKSTATION 100°



FIT H WORKSTATION



FIT H WORKSTATION + FIT WALLS



FIT H WORKSTATION + FIT WALLS



FIT BRIDGE



FIT WALL BRIDGE




FIT U WARDROBE



FIT HOOD

FIT U WORKSTATION 90° & 100°



FIT U WORKSTATION 90°

-  **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex
-  **Cat 2**
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)
-  **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
-  **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2




FIT U WORKSTATION 90°
FIT U WORKSTATION 100°

1200-1400-1600 mm
1200-1400-1600 mm

FIT U WORKSTATION 100°

-  **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex
-  **Cat 2**
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)
-  **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
-  **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2











1220-1420-1620 mm
1419-1619-1819 mm

kg
50 > 61
50 > 61

7 weeks
7 weeks

FIT SQUARE & PENTAGONE



FIT SQUARE

FIT PENTAGONE



Cat 1
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex




Cat 2
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)



Cat 3
Camira Blazer
Camira Blazer Lite
Camira Synergy



Cat 4
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2



Cat 1
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex




Cat 2
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)



Cat 3
Camira Blazer
Camira Blazer Lite
Camira Synergy



Cat 4
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2



FIT SQUARE
FIT PENTAGONE


1200-1400-1600 mm
1200-1400-1600 mm

1419-1619-1819 mm
1419-1619-1819 mm

70 > 83
70 > 83

7 weeks
7 weeks

FIT S WORKSTATION 90° & 100°




FIT S WORKSTATION 90°

-  **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex
-  **Cat 2**
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)
-  **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
-  **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2



FIT S WORKSTATION 100°

-  **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex
-  **Cat 2**
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)
-  **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
-  **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2



FIT S WORKSTATION 90°
FIT S WORKSTATION 100°


1200-1400-1600 mm
1200-1400-1600 mm

2380-3180-3580 mm
1419-1619-1819 mm

 kg
50 > 61
50 > 61

 7 weeks
7 weeks

FIT C WORKSTATION 90° & 100°



FIT C WORKSTATION 90°



Cat 1

Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex



Cat 2

Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)




Cat 3

Camira Blazer
Camira Blazer Lite
Camira Synergy



Cat 4

Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2



FIT C WORKSTATION 100°



Cat 1

Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex



Cat 2

Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)




Cat 3

Camira Blazer
Camira Blazer Lite
Camira Synergy



Cat 4

Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2



FIT C WORKSTATION 90°
FIT C WORKSTATION 100°


800 > 1800 mm
1200-1400-1600 mm

1220-1620-1820 mm
1419-1619-1819 mm

70 > 83
70 > 83


7 weeks
7 weeks

FIT E WORKSTATION 90° & 100°




FIT E WORKSTATION

-  **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex
-  **Cat 2**
Camira Main Line Flex
Camira Main Line Plus
Camira Xtreme CS (M1)
-  **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
-  **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamolange 2



FIT H WORKSTATION + WALLS

-  **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex
-  **Cat 2**
Camira Main Line Flex
Camira Main Line Plus
Camira Xtreme CS (M1)
-  **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
-  **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamolange 2



FIT E WORKSTATION
FIT H WORKSTATION + WALLS

1200-1400-1600 mm
1200-1400-1600 mm

1220-1420-1620 mm
1419-1619-1819 mm


kg
50 > 61
50 > 61

7 weeks
7 weeks


Technical drawings of the S 1000 cabinet system components and dimensions:

- Top Left:** Front view of a cabinet door with a width of 720 mm and a depth of 50 mm.
- Top Middle:** Side view of a cabinet door with a height of 1200 mm, 1400 mm, or 1600 mm, and a depth of 50 mm.
- Top Right:** Front view of a cabinet door with a width of 720 mm and a depth of 50 mm.
- Middle Left:** Front view of a cabinet door with a width of 1920 mm, 1720 mm, 1520 mm, or 1120 mm, and a height of 1600 mm. The depth is 700 mm.
- Middle Right:** Side view of a cabinet door with a width of 1600 mm, 1400 mm, 1200 mm, or 1000 mm, and a height of 1600 mm. The depth is 700 mm.
- Bottom Left:** Isometric view of a cabinet door with a width of 1000 mm, 1400 mm, 1520 mm, or 1800 mm, and a height of 1600 mm.
- Bottom Middle:** Isometric view of a cabinet door with a width of 1050 mm, 700 mm, 1000 mm, 1400 mm, 1600 mm, or 1800 mm, and a height of 1600 mm.
- Bottom Right:** Isometric view of a cabinet door with a width of 1600 mm, 1400 mm, 1200 mm, or 1000 mm, and a height of 1600 mm. The depth is 700 mm.

- **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidlin King Flex
- **Cat 2**
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)
- **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
- **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamorange 2















- **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidive King Flex
- **Cat 2**
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)
- **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
- **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Romix 2
Kvadrat Stoelcutrio
Kvadrat Carnas
Kvadrat Divinamelange 2




①
800 > 1800 mm
1200-1400-1600 mm

	
$70 > 83$	7 weeks
$70 > 83$	7 weeks


FIT SOFA & CELL



FIT SOFA design by Alain Berteau



FIT CELL



FIT SOFA
FIT CELL


1200-1400-1600 mm
1200-1400-1600 mm

1220-1820-2220 mm
1220-1820-2220 mm

53 > 104
126 > 218


7 weeks
7 weeks

FIT BAR & U WARDROBE



FIT BAR

-  **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex
-  **Cat 2**
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)
-  **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
-  **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2



FIT BAR
FIT U WARDROBE

1200-1400-1600 mm
1200-1400-1600 mm

FIT U WARDROBE

-  **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex
-  **Cat 2**
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)
-  **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
-  **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2





2520 mm
1220 mm

85 > 93
51


7 weeks
7 weeks

FIT HOOD SMALL & HOOD LARGE



FIT HOOD SMALL

-  **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex
-  **Cat 2**
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)
-  **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
-  **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2




FIT HOOD SMALL
FIT HOOD LARGE


960 mm
2100 mm

FIT HOOD LARGE

-  **Cat 1**
Camira Cara
Camira Carlow
Camira Urban
Camira Xtreme
Fidivi King Flex
-  **Cat 2**
Camira Main Line Flax
Camira Main Line Plus
Camira Xtreme CS (M1)
-  **Cat 3**
Camira Blazer
Camira Blazer Lite
Camira Synergy
-  **Cat 4**
Kvadrat Gabriel Step
Kvadrat Revive 1/2
Kvadrat San
Kvadrat Remix 2
Kvadrat Steelcutrio
Kvadrat Canvas
Kvadrat Divinamelange 2





920 mm
1220 mm


25
75



7 weeks
7 weeks

FIT BRIDGE & WALL BRIDGE



FIT BRIDGE

- Cat 1**
 - Camira Cara
 - Camira Carlow
 - Camira Urban
 - Camira Xtreme
 - Fidivi King Flex
- Cat 2**
 - Camira Main Line Flax
 - Camira Main Line Plus
 - Camira Xtreme CS (M1)
- Cat 3**
 - Camira Blazer
 - Camira Blazer Lite
 - Camira Synergy
- Cat 4**
 - Kvadrat Gabriel Step
 - Kvadrat Revive 1/2
 - Kvadrat San
 - Kvadrat Remix 2
 - Kvadrat Steelcutrio
 - Kvadrat Canvas
 - Kvadrat Divinamelange 2




FIT BRIDGE
FIT WALL BRIDGE

2100 mm
2100 mm

FIT WALL BRIDGE

- Cat 1**
 - Camira Cara
 - Camira Carlow
 - Camira Urban
 - Camira Xtreme
 - Fidivi King Flex
- Cat 2**
 - Camira Main Line Flax
 - Camira Main Line Plus
 - Camira Xtreme CS (M1)
- Cat 3**
 - Camira Blazer
 - Camira Blazer Lite
 - Camira Synergy
- Cat 4**
 - Kvadrat Gabriel Step
 - Kvadrat Revive 1/2
 - Kvadrat San
 - Kvadrat Remix 2
 - Kvadrat Steelcutrio
 - Kvadrat Canvas
 - Kvadrat Divinamelange 2



2432mm
1220 mm


148
93 > 105

7 weeks
7 weeks



TABLES




FIT U WORKSTATION 90°





FIT U WORKSTATION 100°




FIT E WORKSTATION




FIT H WORKSTATION




FIT CELL 2 P



FIT CELL 4 P



FIT CELL 6 P



black - white - grey

TABLES TOP FINISHES




light oak
plywood
thickness 30
standard



white laminate
plywood
thickness 30
standard



black laminate
plywood
thickness 30
standard



white melamine
white
thickness 22




black melamine
black
thickness 22

TABLES TOP ACCESSORIES

OPENING
FOR WORKSTATION



CONI



TWIST




PIX



CABLE PASS



black - grey
Ø60 / 80




black - white - grey



option 1



option 2




black - white - stainless steel



option 1



option 2



black

ELECTRICAL PLUGS



SWITZERLAND



SECURITY



UTE




UK

Mention the model, the colour and the proposed options of the product in the order



The electrical component is centered on the top of the table, on the partition side.



Screen dimensions needed in order.